

BOARD

selkie

Luxury waterproof wall panel system



Manufactured in Scotland to the highest standards, Selkie Board offers a variety of luxury surfaces for your bathroom.

These panels demonstrate immense versatility with their ability to accommodate even the most awkward of spaces with the use of custom made trims.






Move beyond your shower space and use this 100% waterproof solution throughout your bathroom to create a mood which is specific to you.


Wall Décor: Bamboo with black trims
Floor Décor: Clixéal Black Slate



The Pantone Palette



The Neutral Palette




The Stone Palette



The Wood Palette

We cannot guarantee that this print accurately represents these products' colours/ textures and we recommend that you request a FREE physical sample to see how it looks and feels in your own home. Simply do so via the product pages at www.rearo.co.uk or alternatively email sales@rearo.co.uk

Also, please note that these swatch images only demonstrate a small portion of the panel and on certain décors there can be a variance in pattern alignment due to the printing process. We would always suggest visiting your nearest showroom to view a full scale panel or simply request an image via our Sales team.



Go bold with pantone and liven your space with the use of muted pastels or deep tones.

We recommend pairing with patterns across our palette ranges for some added dimension to your design.




Or, keep details simple with minimalist styling and a blank canvas palette.

Our White Gloss panel options have varying levels of detail, allowing you to control how much your accessories will do the talking.

Décor: White Gloss

How it works

Selkie Board is a laminate faced decorative shower panel with a wood core (MR MDF or plywood). Available in either a square or tongue & grooved edge, panels can either be slotted together with the use of sealant or instead through a combination of trims and sealant to form a watertight seal within your bathroom.



Technical Specification

| | |
|----------------------------|---|
| Height | 2420mm |
| Width | 1200mm (square edge) or 1180mm (T&G), referring to face size |
| Thickness | 11mm |
| Core Substrate | Water and Boil Proof (WBP) 9mm Plywood or MR MDF |
| Jointing | Square edge or tongue and grooved options available |
| Fire Rating | Class 2 surface spread of flame, as standard BS476 part 7 Can be tailored for Class 1 or Class 0 |
| Resistance to water | PUR hotmelt adhesive conforms to D4 moisture resistance |

Choosing for your bathroom

Which edge should I select for my project?

Selkie panels are available in both a square and tongue & grooved edge.

Square edge panels are clean cut and must be joined via trims (found within our bathroom accessories section), these are most typically used to complete shower areas.

Meanwhile, Tongue and Grooved panels are designed to slot in seamlessly to each other, allowing for panels to be applied to larger wall spaces without disruption.

Please note: During a Tongue & Groove panel installation, Selkie colour match sealant must be used on all joints.

What is the difference between plywood and MDF?

In general, the difference comes from the structure of both materials. Plywood is the traditional choice, made from multiple layers of natural thin veneer that are glued together. Meanwhile, MDF is engineered by breaking down hardwood or softwood residuals into wood fibres, which are then combined with wax and resin to create a smooth surface.

Typically, MDF costs less than plywood, due to its man-made structure, however both materials boast the same waterproof qualities.

Installation

Supplied as a complete panel system, the installation of any Selkie shower panel product is both quick and easy, in comparison to other traditional methods. As well as our boards, we offer a range of complementary installation aids to ensure a professional looking finish. All products listed are in stock and available to buy.



Selkie Panel Adhesive and Silicones

Designed to last, Rearo's shower panel adhesive and silicones bring confidence when bonding panels to horizontal walls or joining boards.

Drying in a matter of minutes, these products have flexible characteristics. This product accommodates both thermal expansion and vibrations without causing any damage to your wall or the panel bond.

Available to buy as single 300ml tubes or in a multipack box of 12.



Selkie Panel Trim

An aesthetic join between the board and shower tray, panels simply rest in a slightly raised position within the trim, whilst the pre-applied silicone bond-breaker is placed below and forms a protective barrier. Not only does this avoid the deterioration of silicone, due to soaps and temperature fluctuations, but also allows for substantial joint movement between the wall and shower tray or bath ledge without leakage.

Each Kit includes the following: two trims at 1.8m each, one Mitre Block, cleaning wipes and silicone.



Selkie TopSeal Colour Match Sealant

Produced bespoke for Rearo, our range of colour match sealant has been scientifically formulated and tested to resist moisture, detergent and other household products.

Sealant is available to buy as singular 290ml tubes. One tube of sealant will cover the installation of up to 5 Tongue & Groove Selkie shower panels.



Selkie Panel Trims

To suit a variety of bathroom shapes, we stock a range of panel trims to assist in the cladding of an area. Select from our range of internal and external corners, as well as end caps, h sections and quadrant trims.

All trims are available in either a black or white powder coated finish, as well as Satin Aluminium or Polished Chrome and are supplied individually in lengths of 2420mm.

Our Selkie Installation Guide, including both our square edge and tongue & groove instructions, can be downloaded directly from www.rearo.co.uk via our DOCUMENTATION page.

* Please note that only with our recommended installation tools will the Selkie 10 year guarantee be honoured





Mainly found within shower enclosures, our Selkie **internal corner trim** is used as a connection between two panels in inward facing corner areas.



An essential part in any Selkie shower panel installation, **end caps** are used to finish any exposed board edges.



For those planning on a full bathroom installation, our Selkie **external trim** caters to outward facing corner areas.



Join square edge shower panels together easily with the use of our **H-section trim**. Boards are simply slotted into position.

Further information

Samples

Rearo offers a free sampling service on our full range of Selkie décors/trims. Simply request directly on our product pages at www.rearo.co.uk or please email sales@rearo.co.uk with your request.

All sample orders are typically delivered within 7 days.

Maintenance

Selkie Board is easily maintained with the use of a damp cloth and mild detergent. For the best use of your panels, we recommend rinsing the surface of soap residue after every shower to prevent any build-up.

Do not apply bleach or use any other abrasive cleaners, and do not use any scouring type cloths as these could scratch the decorative surface.

Delivery

All listed Selkie Board décors are in stock and available to buy off-the-shelf.

Panels can be collected from your nearest branch location or delivered to your home. We aim to deliver any orders within 2-10 days from the date of order.

Returns

For reference to our returns policy, please visit <https://www.rearo.co.uk/shipping-returns>

Customer Service

Rearo has a dedicated customer service team available to answer your Selkie related queries weekdays 8:00am - 4:30pm (Mon - Thurs) and 8:00am - 3:30pm (Friday). You can contact us via email: sales@rearo.co.uk or phone: 0141 440 0800.





Front cover details

Wall Décor: Palazzo
Floor Décor: Clixéal Jura Carrera Marble

REARO[®]
HOME SURFACES

29 Loanbank Quadrant, Govan, Glasgow, G51 3HZ
T: 0141 440 0800 E: sales@rearo.co.uk
Shop with us online at www.rearo.co.uk

Rearo ROSYTH

Unit 15 & 16
Primrose Lane
Dunfermline Business
Park
KY11 2SF

T: 01383 414 000
E: rosyth@rearo.co.uk

Rearo SHETLAND

Unit 15 & 16
Primrose Lane
Dunfermline Business
Park
KY11 2SF

T: 01383 414 000
E: lerwick@rearo.co.uk

Rearo WASHINGTON

Unit 15, Tilley Road
Crowther Industrial Estate
Washington,
Tyne & Wear
NE38 0AE

T: 0191 482 2298
E: washington@rearo.co.uk

Rearo NORTHAMPTON

5 Britannia Trade Park
Northampton
NN5 7UA

T: 01604 212 559
E: northampton@rearo.co.uk